

A

- Acquisition Date 5-19
- Acquisition Time 5-19
- Acronyms 5-18
- Along Track Scanning Radiometer 5-7
- Area
 - By Name 3-9, 4-18
 - Circle 3-9, 4-17
 - Custom Area File Format 5-34, 5-35
 - Define Graphically 4-7
 - Enter Area Window 4-17
 - File Format 5-34
 - Polygon 3-7
 - Quadrilateral 3-8, 4-17
 - User Area 3-7, 4-7
 - User Area Definition Window 2-12
- ARTEMIS 5-10
- ASAR (Envisat) 5-9

B

- Backweb 1-7

C

- CD-ROM 1-3
- Cloud Coverage 4-5, 5-19
- Collection 2-4, 5-19
 - Create 5-19
 - Scene List 4-5
- Colours 4-13
- Contact Addresses 5-3
- Cycle 5-20

D

- Data available through DESCW 5-2
- Define Menu 2-7
- Deleting Scenes 3-6, 4-9
- DESCW
 - Auxiliary Files 5-32
 - Colours 4-14
 - Directory Structure 5-29

- Files 5-29, 5-34
- Help 2-12
- Installation 1-5
- Interface 2-1
- Main Windows 2-10
- Screen 2-2
- Structure 3-2
- Technical Support 1-3
- Download Image Subset 4-27

E

- Earth Observation Order Desk 5-3
- Edit Menu 2-4
- Enhanced Thematic Mapper 5-13
- ENVISAT 5-8
- ERS
 - Data Quality 4-10
 - ERS-1 5-5
 - ERS-2 5-5
 - Quick Looks 4-27
 - Shifted Scene Window 2-11
 - Shifted Scenes 3-10, 4-11
 - Spaceborne Radar Imagery CD-ROM 4-27
 - Tandem Mission 4-5
- ESA/ESRIN Address 1-3
- ESA/ESRIN server 1-4
- Eurimage 5-2
- Eurimage World Wide Web access 1-5
- Eye button. See Scene Details Window

F

- File Menu 2-3
- Focus rectangle 3-2
- Frame 5-23
- FTP access 1-4

G

- GEC (ERS SAR) 5-6
- Ground Stations 5-21
- GRS (JERS) 5-16
- GTC (ERS SAR) 5-6

H

Hard Disk 5-26
Hardware/Software 1-3
Help Menu 2-9
Highlight frames 4-8

I

IF2BIN Application 5-33
Installing DESCW 1-3
Interchange File Format 5-35
Interferometric Baseline Window 2-12, 4-16
International Ground Stations 5-7
Inventory Files 5-31

J

JERS-1 5-13
 Quick Looks 4-26
JERS-1 Reference Systems 5-16
 DESCW reference system 5-17
 Ground Reference System 5-16
 Reference System for planning 5-16

L

Landsat
 Full Scene 5-14
 Micro Scene 5-14
 Mini Scene 4-23, 5-14
 Quarter Scene 4-23, 5-14
Landsat 4 and 5 5-12
Landsat 5 TM Quick Looks 4-22
Landsat Floating Scene Window 2-12
Landsat Floating Scenes 3-11, 4-12
Load & Save Areas 3-9, 4-18
Location File Format 5-39

M

Map
 Drawing 4-6
 Faster Drawing 4-8
 Files 5-32
 Layers 4-13
 Projection 4-14

Mercator Projection 4-2
mfc42.dll 1-6
Mission Window 2-11, 4-3
Mouse 4-23
MSS 5-11

N

Name convention Mission-Sensor-Mode 5-30
Navigation Map Window 2-10, 3-2, 4-2

O

On-line Quick Looks 4-27
Ordering products 5-2

P

PAF 5-23
Parameter 4-4
Pass 5-24
Path 5-24
Phase 5-20
Polar Orthographic Projection 4-2
PRI (ERS SAR) 5-6

Q

Quality Parameter (ERS) 5-23
Query result 4-7
Quick Look 3-11

R

Radar Altimeter (ERS) 5-7
RAW (ERS SAR) 5-6
Restarting the Search 3-9
Row 5-23
RPS (JERS) 5-16

S

SAR Wave Mode 5-7
Satellite subtracks 4-15
Saving 3-10
Scene Details Window 2-11, 4-15
Scene List Window 2-11, 4-9
Print the Window 4-8

- Save 4-10
- Select Scenes 3-7, 4-9
- Sort 4-9
- Swath 4-5
- Scene Status 4-4
- Search 3-5
- Search Menu 2-8
- Search Parameters 3-3
- Setup 1-5
- Setup Files 5-29
- SLCI (ERS) 5-6
- Split View 4-22
- Starting DESCW 2-2
- Status 5-24
- Status Bar 2-10
- Sub-scene Selection 4-30
- Synthetic Aperture Radar (SAR) 5-7

T

- Tandem Mission 3-4
- Terminology 5-18
- The ImageDB server 4-27
- Thematic Maps 4-31
 - Colours 4-33
 - File Format 5-41
 - Files 4-31
 - Maps Categories 4-33
- Time Difference 4-13
- TM (Landsat Thematic Mapper) 5-12
- Towns.dat File Format 5-35
- Track 5-24
- Track Range 3-4, 4-4
- Troubleshooting 5-4
- Typographical Conventions 1-2

U

- Updating DESCW 1-7
- User Request 4-18
 - File Format 5-35
 - Load 3-9

V

- View Menu 2-5
- Viewer Window 2-11, 4-19
 - Band 4-24
 - Brightness 4-25
 - Contrast 4-25
 - Floating 4-23
 - Gamma correct 4-25
 - Hue 4-25
 - Print 4-25
 - Saturation 4-25
 - Save 4-26
 - Scene scroll by 4-24

W

- Wind Scatterometer (ERS) 5-7
- Window Menu 2-9
- World reference systems 5-5
- World Wide Web access 1-5

Z

- Zoom Window 2-11, 4-6